

Host	
PK	<u>UniqueID</u>
U	domain
	added_dttm
	times_offline
	access_dttm
	updated_dttm

Vulnerability Type	
PK	<u>UniqueID</u>
U	Name
	Description
	severity
	updated_dttm

machine_host	
PK,FK1	<u>machine_id</u>
PK,FK2	<u>host_id</u>
	updated_dttm

Vulnerability	
PK	<u>UniqueID</u>
I	vulnerability_type_id
	found_by
	found_in_dttm
I	status_enum
N	confirmed_by
N	confirmed_in_dttm
N	solved_dttm
	host_id
	path_id
	machine_id
	service_id
	updated_dttm


Machine	
PK	<u>UniqueID</u>
U	IP
N	Instituto/Organização
B	external
	updated_dttm


Path	
PK	<u>UniqueID</u>
U	URL
	dominio_id
	method
	vars
	added_dttm
	access_dttm
	times_offline
	updated_dttm

Services	
PK	<u>UniqueID</u>
U1	Name
U1	Version
	vars
	added_dttm
	updated_dttm

machine_serviçes	
PK,FK1	<u>machine_id</u>
PK,FK2	<u>service_id</u>
	port
	added_dttm
	last_found
	updated_dttm

Protocolo de comunicação	
HTTP	↔
Mensagem NATS	◄.....►





Tipo de mensagem	
Direta	_____
Broadcast